

CLAIMS

- Sub 1
1. A fishing sinker comprising:
an elongated body having a line connection end and a free end and
a noise generating element connected with said body.
- Sub 2
2. The fishing sinker of claim 1 wherein said noise generating element comprises a hollow,
generally tubular member and one or more noise generating balls moveable freely within said
tubular member.
3. The fishing sinker of claim 2 wherein said generally tubular member is constructed of
metal.
4. The fishing sinker of claim 2 including two or more noise generating balls moveable
freely within said tubular member.
5. The fishing sinker of claim 1 wherein said noise generating element is connected with
said body near said free end.
- Sub 1
6. The fishing sinker of claim 5 wherein said noise generating element is connected at said
free end and extends outwardly therefrom away from said line connection end.

7. The fishing sinker of claim 1 wherein said body includes a weighted portion with a specific gravity greater than that of water and said noise generating element is connected with said weighted portion.

sub
A6 8. The fishing sinker of claim 7 wherein said weighted portion is comprised of a molded metal and said noise generating element is molded into said weighted portion.

9. The fishing sinker of claim 8 including an exterior coating covering substantially the entirety of said body and noise connecting element.

10. The fishing sinker of claim 1 wherein said body includes a buoyant portion with a specific gravity less than that of water and a weighted portion with a specific gravity greater than that of water.

11. The fishing sinker of claim 10 wherein said noise generating element is connected with said weighted portion.

sub
A4 12. The fishing sinker of claim 11 including a wire extending substantially through the entirety of said body wherein said wire has an end defining said line connection end.

13. The fishing sinker of claim 11 wherein said weighted portion includes a first weighted section at said free end and a second weighted section at said line connection end, wherein said

ed between s
s connected w
of claim 11 w
n.

of claim 14 wherein said n
ay from said line connectio
of claim 15 wherein said n
and one or more noise gen
of claim 16 including a wi

of claim 17 wherein aid w
d a second weighted section
ned between said first and
s connected with said first

aid body wherein s

fishing sinker of c

aid free end and a s

tion is positioned

ating element is co

Sub
A5

19. The fishing sinker of claim 11 wherein said weighted portion is comprised of a molded metal and said noise generating element is molded into said weighted portion.

20. The method of claim 19 including an exterior coating covering substantially the entirety of said body and noise connecting element.

21. The method of claim 19 wherein said weighted portion is comprised of first and second weighted portions and wherein said first and second weighted portions are molded to opposite ends of said buoyant portion.

22. The method of claim 19 including providing a dip coating over substantially the entirety of said body.

23. The method of claim 19 including forming a fishing line connection eyelet at one end.

Add
A6
Feb